

Copyright © 2023 by the Non-Hospital Medical and Surgical Facilities Accreditation Program and the College of Physicians and Surgeons of British Columbia.
All rights reserved. No part of this publication may be used, reproduced or transmitted, in any form or by any means electronic,

Introduction

Post-anesthesia care involves three phases for care (phase I, phase II and extended observation) that progress from a high-level of care involving continuous monitoring to a less frequent level of monitoring. Phase I, phase II and extended observation levels of care may be located within a single post-anesthesia care unit/area (PACU) or may be located in a physically separate area of the facility.

If different levels of care (i.e. phase I and phase II) take place in the same physical location (i.e. single PACU area), the nurse qualifications and nurse-to-patient ratios observed shall be in accordance with the highest level of care required by any patient (i.e. phase I patient) receiving care.

Effective date: September 21, 2018

No. Description

PACU1.0 POST-

College of Physicians and Surgeons of British Columbia

No.	Des	scription
PACU1.6	Th€	PACU is appropriately equipped.
PACU1.6.1	М	Each phase I bed/stretcher space is equipped with cardiac monitoring.
PACU1.6.2	М	Each phase I bed/stretcher space is equipped with blood pressure monitoring.
PACU1.6.3	М	Each phase I bed/stretcher space is equipped with pulse oximetry.
PACU1.6.4	Μ	Each phase I bed/stretcher space is equipped with suction equipment.
PACU1.6.5	М	Each phase I bed/stretcher space is equipped with oxygen equipment.
PACU1.6.6	М	Each phase I bed/stretcher space is equipped with a bag-valve-mask device.
PACU1.6.7	М	Each phase I bed/stretcher space is equipped with artificial airways.
PACU1.6.8	М	Each phase II bed/stretcher space is equipped with vital signs monitoring equipment.
PACU1.6.9	Μ	Each phase II bed/stretcher space is equipped with suction equipment.
PACU1.6.10	М	Each phase II bed/stretcher space is equipped with oxygen equipment.
PACU1.6.11	М	Temperature monitoring equipment is readily available in the PACU.
PACU1.6.12	Μ	Clinical support supplies are readily available in the PACU.

0

0

No. Description

PACU1.7.14 M

No. Description

PACU1.7.19 M Readiness for discharge home or transfer to extended observation/overnight stay level of care is based upon an objective discharge scoring system.

PACU2.0 EXTENDED OBSERVATION

PACU2.1 Extended observation staffing supports safe patient care.

PACU2.1.1 M Two nurses are present in the extended observation area at all times when a patient is receiving care.

nt ID: 344

40