




Copyright © 2023 by the Non-Hospital Medical and Hgt

Patient evaluation is to take place before the day of surgery to allow for pre-operative work-up including necessary testing and consultation(s).



PAE1.1.5

Pre-admission assessment includes obstructive sleep apnea (OSA) screening using a validated tool (e.g. STOP-Bang), as appropriate.

H

PAE1.1.6

Pre-admission assessment includes venous thromboembolism (VTE) screening.





PAE1.2.1 The risk assessment includes screening for antibiotic resistant organisms (AROs).









12. Mackenzie CR, Mandl LA, Reyes C, Lachs M, Magid S. Are ambulatory surgical patients as healthy as we think? Using a self-reported health status questionnaire to identify unsuspected medical comorbidities. *HSS J* [Internet]. 2006 Sep [cited 2015 Feb 19];2(2):121-6.
13. National Association of PeriAnesthesia Nurses of Canada. Standards for practice. 3rd ed. Oakville, ON: National Association of PeriAnesthesia Nurses of Canada; 2014. 422 p.
14. National Association of PeriAnesthesia Nurses of Canada (NAPANc). Standards for practice, 4th ed. Middle Sackville, NS: National Association of PeriAnesthesia Nurses of Canada; 2018. 77 p.
15. Operating Room Nurses Association of Canada (ORNAC). The ORNAC standards, guidelines, and position statements for perioperative registered nurses. 13th ed. Toronto: CSA Group; 2017. 469 p.
16. Subramani Y, Wong J, Nagappa M, Chung F. The benefits of perioperative screening for sleep apnea in surgical patients. *Sleep Med Clin*. 2017 Mar;12(1):123-35.
17. Swart P, Chung F, Fleetham J. An order-based approach to facilitate postoperative decision-making for patients with sleep apnea. *Can J Anaesth*. 2013 Mar;60(3):321-4.
18. British Columbia Ministry of Health. British Columbia health information standards: gender, sex and sexual orientation (GSSO) health information standard and guidance [Internet]. Version 3.0. Victoria (BC): British Columbia Ministry of Health; 2023 Mar 29 [cited 2023 Aug 04]. 94 p.

